

	by Ma:	stery Connect			
Name: .	Solutions	Date:			
Quiz na	me: AP Physics 2 - Test 06 - Electromagnetism Pt. 1				
1. A A B C D D	on electron moves in the negative x direction, through the direction. The magnetic force on the electron is +x +y -y +z -z	gh a uniform magnetic field in the negative y Left han s thumb ###################################			
2. T	The magnetic force on a charged particle is in the di	· ·	parporation of the second		
(B)	it is moving in the direction of the field it is moving opposite to the direction of the field	The idea is trut a perpendicula			
0	it is moving perpendicular to the field	relocity 4 field Lernli	BMA		
D	it is moving in some other direction never	force.			
3. A B D E	magnetic field exerts a force on a charged particle always never if the particle is moving across the field lines if the particle is moving along the field lines if the particle is at rest Pury e		, , , , , , , , , , , , , , , , , , ,		
4. A B C E E	magnetic field CANNOT exert a force on a charged particle change the velocity of a charged particle change the momentum of a charged particle change the kinetic energy of a charged particle change the trajectory of a charged particle	X VX X X Singe f X X X X X Singe f Melocrt X X X X X Single f Melocrt X X X X X Single f Melocrt X X X X X X Single f	9, it can lit down or up. But m		
а	proton (charge e), traveling perpendicular to a ma n alpha particle (charge 2e) which is also traveling p f their speeds, v _{proton} /v _{alpha} , is 0.5	gnetic field, experiences the same force as perpendicular to the same field. The ratio			
B	$F_{B} = q \vee B \qquad S$	o Proton must have bx of produce the same force			
(D)	4 8 UlPha has	o Proton must have Lx	William		
	dx changle to	o produce the same force	Page 1 of 7		


6,	A helium atom that has lost its electrons (that's called a beta particle by the way!) is moving east in a region where the magnetic field is directed from south to north. It will be deflected						
	up fingers > B 1 Positive so right hand.						
	B) down C) north E thumb						
	\sim PAIW\ \sim AND PAIW						
	E not at all F = out of Puge						
7.	An electron travels due north through a vacuum in a region of uniform magnetic field B that is also directed due north. It will						
•	be unaffected by the field no funce unless they are						
	be unaffected by the field No funce unless they are speed up slow down Perpendicular.						
	slow down Prendicular. D follow a right-handed corkscrew path E follow a left-handed corkscrew path						
	follow a left-handed corkscrew path						
8.	An electron and a proton are both initially moving with the same speed and in the same direction at 900 to the same uniform magnetic field. They experience magnetic forces, which are initially						
	A identical right hand vs.						
	equal in magnitude but opposite in direction in the same direction and differing in magnitude by a factor of 1840 left hun L.						
	in the same direction and differing in magnitude by a factor of 1840 in opposite directions and differing in magnitude by a factor of 1840 in opposite directions and differing in magnitude by a factor of 1840 equal in magnitude but perpendicular to each other						
	equal in magnitude but perpendicular to each other						
9,	Electrons are going around a circle in a counterclockwise direction on the surface of a page. At the center of the circle they produce a magnetic field that is: into the page out of the page to the left to the right zero						
10.	Lines of the magnetic field produced by a long straight wire carrying a current are A in the direction of the current						
	B opposite to the direction of the current outward from the wire inward toward the wire circles that are concentric with the wire						
	D inward toward the wire						
vessos a nessos	circles that are concentric with the wire						
11.	Two long straight current-carrying parallel wires cross the x axis and carry currents I and 3I in the same direction, as shown. At what location on the x-axis is the net magnetic field zero $A = A = A = A = A = A = A = A = A = A =$						
	5 wire of has 3x the currents						
	So it also needs 3x the distance to have Page 2 of 7						
	of the state of						

the sume magnetic field strength.

,	-		
1	F	1	7
	۰.	,	- /

A long straight wire conductor is placed below a compass (the compass is on top) as shown in the top view figure. When a large conventional current flows in the conductor as shown, the N pole of 12. the compass:

- (A)has its polarity reversed
- points to the south
- points to the west
- points to the east




A charged particle with constant speed enters a uniform magnetic field whose direction is 13. perpendicular to the particles velocity. The particle will:

- Speed up
- Experience no change in velocity
- Follow a parabolic arc
- Follow a circular arc



A positively charged particle moves to the right. It enters a region of space in which there is an electric field directed up the plane of the paper as shown. In which direction does the magnetic field

- have to point in this region so that the particle maintains a constant velocity? 14.
 - Electric force is with the electric field into the plane of the page
 - out of the plane of the page So may force must be
 - down. This only happens may iffield comes out to the right
 - to the left




Two parallel wires are carrying different electric current in the same direction as shown. How does the magnitude of the force of A from B compare to the force of B from A 15.

- $F_{B \text{ on A}} = (1/4) F_{A \text{ on B}}$
- F_{B on A} = (2) F_{A on B}
- $F_{B \text{ on } A} = (1/2) F_{A \text{ on } B}$

16.

FBONA = FAONB NEWTON'S 312 LAW!




Two very long current-carrying wires are shown end on in the figure. The wire on the left has a 4A current going into the plane of the paper and the wire on the right has a 3A current coming out of the paper. Disregarding the case of x approaching ∞, in which region(s) could the magnetic field from these two wires add to zero on the x-axis,

- Ohly region I and Region I only
- However since wire I carries Region II only
- more current, it over powers Region III only Regions I and III only Region &



A wire has a conventional current I directed to the right. At the instant shown in the figure, an electron has a velocity directed to the left. The magnetic force on the electron at this instant is 17.



A proton traveling with speed venters a uniform electric field of magnitude E, directed parallel to the plane of the page, as shown in the figure. There is also a magnetic force on the proton that is in the direction opposite to that of the electric force.

22. Which of the following is a possible direction for the magnetic field?

upward Clerric fonce. Down magnetic force. Up Out of the page into the page The currents in three parallel wires, X, Y, and Z, each have magnitude I and are in the directions 23. shown. Wire y is closer to wire X than to wire z. The magnetic force on wire y is X is closer to Y, sow the leftward attractive force is stronger than the rightward force. zero into the page out of the page toward the left Two long, straight, parailel wires in the plane of the page carry equal currents I in the same direction, as shown above. Which of the following correctly describes the forces acting on the wires and the 24. resultant magnetic field at points along the dotted line midway between the wires? Force: Attractive Field: Not zero Force: Attractive Field: Zero Force: Repulsive Field: Not zero Force: Repulsive Field: Zero 25. What is a paramagnetic material? A material which is exhibits very strong magnetic effects. A material which is exhibits very weak magnetic effects. A material which is exhibits no magnetic effects. 26. What is a ferromagnetic material? A material which is exhibits very strong magnetic effects. A material which is exhibits very weak magnetic effects. A material which is exhibits no magnetic effects. 27. Compared to the magnetic field at point A, the magnetic field at point B is Half as strong, same direction. Half as strong, opposite direction. One-quarter as strong, same direction. One-quarter as strong, opposite direction. Can't compare without knowing I.

The following diagram shows a current loop perpendicular to the page; the view is a "slice" through the loop. The direction of the current in the wire at the top and at the bottom is shown. What is the direction of the magnetic field at a point in the center of the loop?

28,

	A	To the left			1	0		
	В	Up				11/	nat is the	
		To the right				i I	gnetic field his point?	
	(D)	Down			I	\otimes		
Nad-1524-A	-THE CONTRACTOR OF THE		linas Alkabinė o Eralinati vas Oktobros vienta vienari automato era vieni	чен - решену филотомически, с		Diller (All Control of		ings etselveretaken erek et in
29.		A compass is placed near a coil of wire. A c rom left to right as shown. This will cause				en run thro	ough the co	<u>il</u>
		point toward the left			(The second second	accountings).
	B	point toward the right						The second secon
	(C)	point toward the bottom of the paper			♦	W 2	**************************************	Y
	D	not move since the magnetic field of the	coil is into the	paper	14.	etub č	ise the	(0)
30.	t: t	An electron moves in the plane of the page rajectory shown in the figure. There is a ui he page (as shown). There is no electric fie nagnetic field in regions I and II? Ignore gr	niform electric f eld in Region II. ' avitational force	field in R What is ^{es.} Ela	legion I dire a necessary • • • • • • • • • • • • •	ected into t / direction } ^ (4	the plane of of the	
	A	Region I: Toward the bottom of the page Region II: Up on the page	**		e of ele	idnic f	Region II	d magnet.
	В	Region I: Toward the top of the page Region II: Into the page	furce is		rage.		Ke	
		Region I: Toward the top of the page Region II: Out of the page	Fiftle 13	uP.	-	Region I		
	D	Region I: Toward the bottom of the page Region II: Out of the page	:		······	* * * * * * * * * * * * * * * * * * *	·	
31.	li S	Two long, parallel wires are separated by a nto the plane of the page while the other woints in the plane of the page and outside due to the currents zero?	vire carries a st	eady cu	rrent I out d	of the page	e. At what	
	(A)	Only at point P				- American Company		
	В	At all points on the line SS'			⊗	<u>d</u>	,(ý 3
	©	At all points on the line connecting the t	wo wires	^		S	/	'
		At no points			be to	ways ren 1	down i	'N rec
32,		A charged particle is projected with its inities	al velocity <u>perp</u> o	endicula			tic field. The	3
	A	a spiral			X	×.	\$-A-	X
		a circle				/		
	\bigcirc	a straight line parallel to the field			×	,		
	(D)	a straight line perpendicular to the field			X	*	The second secon	X
33.		A charged particle is projected with its initi- esulting path is	al velocity paral	llel to a ι	uniform ma	gnetic field	d. The	en service de la companya de la comp
	\bigcirc	a eniral	Notu	NATI	9920	ens		

a circle




a straight line parallel to the field

a straight line perpendicular to the field

A beam of protons moves parallel to the x-axis in the positive x-direction, as shown, through a region of crossed electric and magnetic fields balanced for zero deflection of the beam. If the magnetic field is pointed in the positive y-direction, in what direction must the electric field be pointed?

34.



Positive z-direction

Negative z-direction

Negative x-direction

